

**F. No. A.14019/11/2013-NMPB**  
Government of India  
Ministry of Health & Family Welfare  
Department of AYUSH  
(National Medical Plants Board)

Room No. 309, 3<sup>rd</sup> Floor,  
B-Block, AYUSH Bhawan,  
GPO Complex, INA  
**New Delhi-110023**  
Tele:011-24651823

Dated: 30-12-2013

**NOTICE INVITING TENDER**

**Sub:** Purchase of LFDs, Interactive Panel, Laptop, Tablets and CCTV Cameras.

National Medicinal Plants Board (NMPB) is functioning under Department of AYUSH, Ministry of Health & Family Welfare, New Delhi from AYUSH Bhawan in the GPO complex at the address given above. NMPB proposes to procure 4 items as per the specifications indicated in the attached annexure.


Interested firms should submit their best rates quotation for supply of these items, as per the specifications mentioned in the Annexure. The rates quoted should be exclusive of all applicable taxes and other charges, if any. Please quote all other terms and conditions viz. taxes/Octori duties chargeable including period of delivery/Period of Warranty/Validity of the quotation(s) etc.

**Terms and conditions of supply shall be as under:**

- a) Terms of delivery – The stores will delivered by the firms free of cost at NMPB premises;
- b) Warranty Terms – All items will be covered by onsite warranty for a period of 3 years from the date of installation;
- c) The suppliers should have computerized system for on-line monitoring of complaints relating to delay in supplies and warranty support. The suppliers shall attend to the complaint within 72 hours of its logging and to intimate/display the status of the same to the NMPB; and
- d) Payment terms – Payment would be payable on supply as per specifications and satisfactory installation of the system(s).

Your quotation for the best price should be furnished to **Chief Executive Officer, National Medicinal Plants Board**, Room No. 309, 3<sup>rd</sup> Floor, B-Block, Department of AYUSH, AYUSH Bhawan, GPO Complex, INA, New Delhi-110023 latest by 13-00 hours on 20-1-2014. The quotation(s) shall be opened on the same day at 15-00 hours in the presence of interested bidders or their representative(s).

Thanking you,

Yours faithfully,  
  
(Arup Kumar Bhattacharjee)  
Finance and Administrative Officer

## 1) Interactive Panel 32 inches

- 30 - 81 kHz H-Scanning Frequency
- 148.5 MHz (Max) Pixel Frequency
- 48 - 75 Hz V-Scanning Frequency
- Set Dimension (WxHxD): 736 x 434.5 x 93.5mm
- Package Dimension (WxHxD): 826 x 530 x 162mm
- Set Weight: 6.3kg
- Package Weight: 8.0kg
- VESA Mount: 200 x 200mm
- Foot Stand Type (Optional)
- Embedded Media Player Option Type
- Power Supply: 100 - 240 V (50 / 60 Hz)
- less than 1 Watt Power Consumption (Off Mode)
- 94 Watts (Max) / 50 Watts (Typ) Power Consumption (On Mode)
- less than 1 Watt Power Consumption (Sleep Mode)
- 32" Diagonal Size
- 60 Hz LED BLU
- 1,920 x 1,080 (16:9) Resolution
- 0.12125 (H) x 0.36375 (V)mm Pixel Pitch
- 698.4 (H) x 392.85 (V)mm Active Display Area
- Brightness: 350 cd/m<sup>2</sup>
- 100,000:1 Dynamic Contrast Ratio
- Viewing Angle (Horizontal / Vertical): 178 / 178 °
- 8 ms Response Time (G-to-G)
- 16.7 Million Display Color
- 72 % Color Gamut
- 5,000:1 Contrast Ratio
- 0 - 40 °C Operating Temperature
- 10 - 80 % Humidity Operation
- Quick Setup Guide, Warranty Card, Application CD, D-Sub Cable, Power Cord, Remote Controller, Batteries
- Optional Mount: WMN4070SD
- Optional Specialty: CML400D (Ceiling Mount)
- Optional Stand: STN-L32D
- Analog D-SUB, DVI-D (Dual Link)
- Component, CVBS, HDMI
- Input Audio: Stereo Mini Jack
- Output Audio: Stereo Mini Jack
- RS232C (In/Out), RJ45

## 2) Laptops Hardware

<b>Microprocessor</b>	2.4 GHz Intel Core i7-3630QM
<b>Microprocessor Cache</b>	6 MB L3 cache
<b>Memory</b>	8 GB 1600 MHz DDR3
<b>Video Graphics</b>	NVIDIA GeForce GT 630M (2 GB DDR3 dedicated)
<b>Display</b>	15.6" diagonal HD BrightView LED-backlit Display (1366 x 768)
<b>Hard Drive</b>	1 TB SATA (5400 rpm)
<b>Multimedia Drive</b>	SuperMulti DVD Burner
<b>Network Card</b>	Integrated 10/100/1000 Gigabit Ethernet LAN (RJ-45 connector)
<b>Wireless Connectivity</b>	Bluetooth 802.11b/g/n
<b>Sound</b>	4 x Beats Audio Internal speakers; Beats Audio Audio playback; Quad speakers with subwoofer
<b>Keyboard</b>	Full-sized island-style keyboard with integrated numeric keypad
<b>Pointing Device</b>	TouchPad supporting multi-touch gestures and on/off button
<b>PC Card Slots</b>	Multi-Format Digital Media Card Reader for Secure Digital cards & Multimedia cards
<b>External Ports</b>	3 SuperSpeed USB 3.0 1 HDMI 1 VGA 1 RJ45 1 Headphone-out (Stereo) 1 Microphone-in
<b>Dimensions</b>	37.8 x 24.7 x 3.25 cm



<b>Weight</b>	Starting at 2.44 kg
<b>Power</b>	120W slim AC Power Adapter 6-cell Lithium-Ion (Li-Ion)
<b>What's In The Box</b>	HP TrueVision HD Webcam with integrated dual array digital microphone (High Definition low-light)

#### Software

Operating System: Windows 8 64
--------------------------------

### 3) Large Format Display (LFDs) 55 inches

Panel Technology	120Hz LED BLU
Aspect Ratio	16:9
Contrast Ratio (Typical)	5000:1
Viewing Angle (H/V)	178°/178°
Response Time	8ms
Input	VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component/Composite, USB, Stereo Mini Jack, TV In
Output	DVI-D (Digital Loop out), Stereo Mini Jack
External Control	RS232C (in/out) through Stereo Jack, RJ45
Sensor	Stereo Mini Jack (IR in/out), Mini USB (Ext. Brightness/IR Sensor)
Power Supply	AC 100 - 240 V~ (+/- 10 %), 50/60 Hz
Power Consumption (Typical/Max)	117W / 143W
Power Consumption (Standby)	Less than 1W
Operating Temperature	0°C - 40°C
Operating Humidity	10%~80% Non-Condensing
Special	Built-in TV Tuner, Built-in Speaker (10W + 10W), Simple Plug & Play Media Player (through USB), Built-in MagicInfo Lite Signage Software, Narrow Bezel, Slim Chassis Depth (1.18")
Built-in Tuner	Yes
Media Player Type	USB Thumb Drive Plug/Play Feature with MagicInfo Lite Signage Software, External Media Player (optional setback box, SBB-A)
VESA Standard Wall-Mount Interface	400 x 400mm

## 4) CCTV Cameras

- Up to 120 (NTSC) /100 (PAL)fps recording rate at CIF resolution
- Full 4CIF resolution recording support
- 2 tb HDD Supports
- De-Interlace
- 1ch audio inputs and 1ch audio outputs
- Video (H.264) / Audio (G.711)
- Samsung Dome IR Camera
- High resolution of 600TV lines
- Min. illumination 0Lux (IR LED on), IR distance 7m
- Built-in fixed lens (3.6mm), SSNRIII (3D+2D)
- Coaxial control, 12V DC
- Surveillance Hard Disk 2 TB
- UPS for power supply in case of no electricity